

## PACKAGE CONTENTS

|                  |   |
|------------------|---|
| Package Contents | <ul style="list-style-type: none"><li>• SFP Module TL-SM321B</li><li>• Installation Guide</li></ul> |
|------------------|---|

## MEDIA CONVERTER & MODULE

|                         |                            |
|-------------------------|----------------------------|
| Standards and Protocols | IEEE 802.3z, TCP/IP        |
| Wave Length             | TX: 1310 nm<br>RX: 1550 nm |
| Power Supply            | 3.3 V                      |
| Safety &                | FCC, CE                    |

|                   |   |
|-------------------|---|
| Emission          |   |
| Cabel             | Single-Mode Fiber   |
| Fiber Type        | 9/125 $\mu\text{m}$ Single-Mode   |
| Max. Cable Length | 20 KM   |
| Data Rate         | 1.25 Gbps   |
| Port Type         | LC Simplex  |
| Environment       | Operating Temperature: 0–70 °C<br>(32–158 °F)<br><br>Storage Temperature: -40–85 °C<br>(-40–185 °F)<br><br>Operating Humidity: 10–90%<br>RH, Non-Condensing |

|  |   |
|--|---|
|  | Storage Humidity: 5–90% RH,<br>Non-Condensing |
|--|---|